


Attorney's Docket No. 525-001.017



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 8,020,474
Issued: September 20, 2011
Name of Patentee: Peter Mihic
Title: VIBRATION-DAMPED TOOL HOLDER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTENTION: Decision and Certificate of Correction
Branch of the Patent Issue Division

**REQUEST FOR CERTIFICATE OF CORRECTION
OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))**

1. Attached in duplicate is Form PTO-1050 with at least one copy being suitable for printing.

NOTE: Form PTO-1050 (also Form PTO/SB/44), using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. MPEP § 1485.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. MPEP § 1485.

2. The exact page and line number where the errors are shown correctly in the application file are:

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. MPEP § 1485.

1. Amendment filed May 20, 2011, page 3, line 1.

CERTIFICATE OF MAILING/TRANSMISSION UNDER 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is, on the date shown below, being:

MAILING


☒ deposited with the United States Postal Service with sufficient postage as first-class mail, in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

FACSIMILE

☐ transmitted by facsimile to the U.S. Patent and Trademark Office.

Signature

Date: October 19, 2011


K. Bradford Adolphson

(type or print name of person certifying)

3. Please send the Certificate to:


Name: **K. Bradford Adolphson**
Ware, Fressola, Van Der Sluys & Adolphson LLP
Address: **Bradford Green, Building Five, 755 Main Street, P.O. Box 224**
Monroe, Connecticut 06468

(Complete, if applicable)

Signature(s) of patentee(s)

or

(type or print name of assignee)


Signature of assignee or person authorized to
sign on behalf of assignee

☐ Assignment recorded on

Date _____

K. Bradford Adolphson, Reg. No. 30,927
(type or print name of authorized person signing)

Reel
Frame _____

Attorney of Record
(Title of authorized person signing)

☐ Recordal of assignment attached

☐ Attached is a "CERTIFICATE UNDER 37 CFR 3.73(b)" establishing the right of the assignee to
take
action in this case.

NOTE: "A certificate of correction, under 35 U.S.C. 254, may be issued at the request of the patentee or his assignee." 37
CFR 1.322(a). The certificate of correction can be signed by the attorney of record who acts on behalf of the
inventor(s) or assignee(s).

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 8,020,474

APPLICATION NO.: 10/588,354

ISSUE DATE : September 20, 2011

INVENTOR(S) : Peter Mihic

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 4, line 28 (claim 4, line 1), "2" should be -1-.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

K. Bradford Adolphson - Ware, Fressola, Van Der Sluys & Adolphson LLP
Bradford Green, Building Five - 755 Main Street, P.O. Box 224
Monroe, CT 06468

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 8,020,474

APPLICATION NO.: 10/588,354

ISSUE DATE : September 20, 2011

INVENTOR(S) : Peter Mihic

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 4, line 28 (claim 4, line 1), "2" should be --1--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

K. Bradford Adolphson - Ware, Fressola, Van Der Sluys & Adolphson LLP
Bradford Green, Building Five - 755 Main Street, P.O. Box 224
Monroe, CT 06468

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.